

LAUNCHPAD 12GPRO

THE MOST FLEXIBLE SYSTEM AVAILABLE

Every year, sports fans expect more from venues and teams: more LED screens, more information, more entertainment!

Trusted since 2008 by the largest teams in collegiate and professional sports, MotionRocket LaunchPad gives you the power needed to Engage Fans and generate advertising revenue.



KEY FEATURES

MotionRocket LaunchPad sports video control system provides the most features at the best value.



Use our **Virtual Scoreboard** interface to show in-game data, statistics, close captioning text, running jackpots, and more!



Connect **MotionRocket LaunchPad** to new or existing **LED displays** from almost any manufacturer. Use it for suites **TVs, web streaming** equipment using the onboard Graphics Output, SDI, or NDI™.



Synch playback across multiple channels, multiple screens, and multiple servers.



Playback and Track Advertising.

Generate proof of play reports from your phone or tablet.



Use **Advanced Automation** to let **MotionRocket LaunchPad** react to changes in the game, saving you time and staff resources.



Ensure your success! Use a second LaunchPad as a **backup if an emergency strikes**.



Room to Grow! LaunchPad can grow with your venue. Multiple **LaunchPad** servers work together when needed or act as independent servers.



LAUNCHPAD 12GPRO

THE MOST FLEXIBLE SYSTEM AVAILABLE

FEATURES

- **10** Content Zones
- Maximum load of 8 Million pixels
- Supports Live Video In/Out
- Output on Combinations of Display Port, NDI™ with alpha-transparency, HD-SDI (Single or Dual Channel)
- SDI Modes: External Key & Fill, Internal Keyer (o frames of latency)
- 2 Real-Time Data Inputs Over Serial, TCP, UDP, and Websockets
- Preferred Video Formats: H.264, H.265, MPG4, MPG2, AlphaTransparency supported by QTRLE, AVI, and Largarith) at 30fps, AAC Audio
- Preferred Image Formats: BMP, JPG, PNG, Alpha Transparency supported by PNG.
- Advertising Tracking and Reporting

- ♂ Crowd Prompts and Headshots Clips
- Scoring Automation Automatic clip triggering and Graphics Rules for bug graphics
- External Control over TCP using External Control API
- Audio Out via Unbalanced Stereo,
 Embedded SDI Audio Out, optional support
 for Dante VSC
- Supports Pixel Remapping (Ring, Ribbon, Fascia, ScoreTable style displays)
- Remote Triggering from a separate
 LaunchPad
- **♂** 64Bit, Windows IOT LTSC
- 1 Year Warranty Includes nights and weekend support
- Physical Dimensions: 4RU (7 In)(178 mm) Height x 19 In (483mm) Width x 22 In (558 mm) Depth